UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/591,399	03/12/2007	Anna Mansson	1501-1327	9678
466 YOUNG & TH	7590 10/05/200 OMPSON	EXAMINER		
209 Madison Street Suite 500 ALEXANDRIA, VA 22314			WATKINS III, WILLIAM P	
			ART UNIT	PAPER NUMBER
·			1794	
			MAIL DATE	DELIVERY MODE
			10/05/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/591,399	MANSSON ET AL.				
Office Action Summary	Examiner	Art Unit				
	William P. Watkins III	1794				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>01 Section</u>	entember 2006					
	action is non-final.					
<i>;</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
, 	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-14</u> is/are pending in the application.						
· · · · · · · · · · · · · · · · · · ·	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-14</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>01 September 2006</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) \(\sum \) Notice of References Cited (PTO-892) 2) \(\sum \) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)					
3) Notice of Dransperson's Patent Drawing Review (PTO-948) 5) Notice of Informal Patent Application						
Paper No(s)/Mail Date <u>12/5/2006</u> . 6) Other:						

Application/Control Number: 10/591,399 Page 2

Art Unit: 1794

DETAILED ACTION

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 3, 8 and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Walbrun (U.S. 4,307,141).

See Figure 3 and the abstract.

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2, 4-7, 10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Walbrun (U.S. 4,307,141) in view of Trokhan (U.S. 4,469,735).

Walbrun teaches a two ply embossed tissue where there are perforations which force fibers inwards towards other plies (abstract and Figure 3). Walbrun fails to teach more than two plies and the plies having different degrees of stretch. Trokhan teaches a three layer embossed tissue where the layers have different degrees of stretch to

Application/Control Number: 10/591,399

Art Unit: 1794

increase the bulk of the laminate by differential stretching during embossing. The instant invention claims three plies and the plies having different degrees of stretch. It would have been obvious to one of ordinary skill in the art use three layers of different degrees of stretch in the tissue of Walbrun in order to provide better bulk to the embossed tissue because of the teachings of Trokhan. Variation in size and distribution of the perforations, as well as the differential stretch of the layers, depending on the desired degree of bulk and absorption, is taken as being within the ordinary skill of the art absent unexpected results.

Page 3

5. Claims 2 and 5 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Use of "preferably" in these claims is indefinite as it is a type of range within a range and it is not clear which range is being claimed.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William P. Watkins III whose telephone number is 571-272-1503. The examiner works an increased flex time schedule, but can normally be reached Monday through Friday, 11:30 A.M. through 8:00 P.M. Eastern Time. The examiner returns all calls within one business day unless an extended absence is noted on his voice mail greeting.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Sample can be reached on 571-272-1376. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Application/Control Number: 10/591,399

Art Unit: 1794

published applications may be obtained from either Private PAIR of Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 4

WW/ww October 6, 2009

/William P. Watkins III/ Primary Examiner, Art Unit 1794